



 **ADOWIN**[®]
ECO RAIL SERIE
PVC PROFILE SYSTEM



TECHNIC

ECO RAIL SERIES

Profile Width: 63 mm double rail frame, 111 mm triple rail frame and 38 mm sliding system sash profile.

Number of chambers: 3

Profile Class: B Class (TS EN 12608-1)

Seal Type: The installed bristle wick system

Glass Thickness (mm): 4-6, 15, 17 mm

- 1** Frame with fly-screen and sill option
- 2** Triple rail sash option
- 3** Single and double glass option.


INSTRUCTION

- 63 mm double rail, 111 mm triple rail, 38 mm sliding sash profile.
- Perfect thermal, sound and water isolation because of the 3 chambers system.
- Application of single glaze 4-6 mm and installation glass 15, 17 mm by grey sealed glazing beads in different thickness.
- Application with roller shutter and without roller shutter.
- Wooden designed laminated applications.


LAMINATED COLORS




ECO RAIL SERIES PVC PROFILE SYSTEM




Frame Profile (Double Rail)
P.A.222.1100.600.0.00.03




New Frame Profile (Double Rail)
P.A.222.1111.600.0.00.03




Frame Profile (Triple Rail)
P.A.222.1103.600.0.00.03




New Frame Profile (Triple Rail)
P.A.222.1112.600.0.00.03




Frame With Flat-Sill Profile
P.A.222.1107.600.0.00.03




Frame With Fly-Screen
???




Frame With Fly-Screen&Sill
P.A.222.1109.600.0.00.03




Sliding System Sash Profile
P.A.222.2300.600.0.BC.03




Super Sliding System
Sash Profile
P.A.222.2304.600.0.BC.03




Mullion Profile for
Sash Profile
P.A.222.3201.600.0.BC.03




Double Rail Adaptor Profile
P.A.232.5800.600.0.BC.19




Single Glazing Bead 4-6 mm
P.A.101.4102.600.0.HC



Double Glazing Bead 15 mm
P.A.532.4400.600.0.HC














Double Glazing Bead 17 mm
P.A.532.4500.600.0.HC



Universal Large Coupling Profile
P.A.058.5000.600.0.19



Universal Large Coupling
Cover Profile
P.A.900.5705.600







Sliding System Sash Profile
P.A.242.2305.600.0.00.03

Screen Mullion Profile
P.A.242.3200.600.0.00.03

Corner Profile (90°)
P.A.070.5100.600.0.00.19

Box Profile (70*100)
P.A.070.5202.600.0.00.19








PVC Super Sash Cover Profile
P.A.222.5700.600.0.00.19

PVC Sash Cover Profile
P.A.222.5708.600.0.00.19

Alm. Sash Cover Profile
AD16-032

Alm. Super Sash Cover Profile
AD16-031



Alm. Sash Cover Grillage Profile
(In Process)





Sliding Roller Brass
34009-18030

Sealing Bit Double Rail
34009-27010

Sliding Sash End Bit
34009-47010

Upper Bedding Piece for
Sliding Rail
34009-37010

Rail Re-Inforcement Profiles




Triple Rail Frame - Frame With
Flat-Sill Profile - Frame With Fly-
Screen&Sill Profile Reinforcement
34022-12107

New Frame Profile (Double Rail)-
New Frame Profile (Triple Rail)
Profile Reinforcement
34022-12126





Sliding System Sash Profile
Reinforcement
34022-15026


Super Sliding System Sash Profile
Reinforcement
34022-15027

ECO RAIL SERIES PVC PROFILE SYSTEM




Rail Installation






Double Rail Frame with Sill - Sliding System Sash Profile Installation




Double Rail Frame With Fly-Screen & Sill - Sliding System Sash Installation


Double Rail Adaptor Profile Installation




**ECO RAIL SERIES
PVC PROFILE SYSTEM**





A-A





Double Railed Frame and Double Sash Installation





A-A




Mullion For Sash Installation





Sliding System Super Sash Back Cover Profile Installation





Sliding System Sash Back Cover Profile Installation





Sliding System Super Sash Alm. Back Cover Profile Installation




Sliding System Sash Alm. Back Cover Profile Installation





Sliding System Super Sash Lap Strip Profile Installation





Sliding System Sash Lap Strip Profile Installation



Sliding System Super Sash - Sash
Cover Grillage Profile Installation



Alm. Double Sash Adaptor Profile
Installation





FACTORY

Antalya Organize Sanayi Bölgesi 2.Kısım Mah. 21.Cadde No:3

07040 Döşemealtı / ANTALYA / TURKEY

Tel : +90 242 236 20 00 · Faks : +90 242 236 20 90 · Email : info@adowin.com.tr

